

Field Description: Arrested Progress of Labor: Probable cause - Malpresentation			Location: 1332 (6064var Approved: 5/19/69		
			Revised:		
Remarks:	W. C.				
34			·		

Card Sources	Columns	Codes	Recodes*
Presence of any 1-3334, 9334	·		8 (Not applicable OB-34 present)
2355	62	0 = No 1 = Yes 9 = Unknown	*
Presence of 9355			9 = Unknown

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Description: Arrested Progress of	Location:1333 (6065VAR)
Labor: Probable cause - Abnormal Uterine	Approved: 5/13/69
Activity	Revised:
Remarks:	
· ·	

Card Sources	Columns	Codes	Recodes*
Presence of any 1-3334, 9334			8 (Not applicable 06-34 present)
235	63	0 = No 1 = Yes 9 = Unknown	*
Presence of 9355			9 = Unknown

<sup>\*</sup>An asteriak in recoda column meens transfer codes verbatim.

Field Description: Arrested Progress of Labor: Probable cause - Fatopelvic				Location: 1334 (6066VA		
Remarks:				n.		
Card Sources	Columns		Codes	<b>.</b>	Recodes*	

Card Sources	Columns	Codes	Recodes*
Presence of any 1-3334, 9334			8 (Not applicable OB-34 present)
2355	61	0 = No 1 = Yes 9 = Unknown	•
Presence of 9355			9 = Unknown

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Description: Arrested Progress of Labor: Probable causes - Other Causes			Approved: 5/19/69		
Card Sources	Columns	Code		Recodes*	
Presence of any 1-3334, 9334				8 (Not applicable 08-34 present)	
2355	64	0 = No 1 = Yes 9 = Unknown!		*	
Presence of 9355				9 = Unknown	
	·				

<sup>\*</sup>An asteriek in recode column means transfer codes verbatim.

Field Description:	Arrested Progress	Location:	1336 (6068	.var)
of Labor: C9-55		_ Approved:	5/19/69	
	40	_ Revised:_		
Remarks:				
	S.A.			
				*

Card Sources	Columns	Codes	Recodes*
Presence of any one card 1334-3334, 9334			8 (not applicable - 08-34 present)
2355	58-60	Scan all. cols. and classify case as follows: all cols. = code 0	0
		col. 58 = code 1 and cols. 59 and 60 = code 0	1 (latent only)
		col. 59 = code 1 and cols. 58 and 60 = code 0	2 (active only)
		cols. 58 and 59 = code 1 and col. 60 = code 0	3 (latent and active)
		col. 60 = code 1 and cols. 58 and 59 = code 0	4 (2nd stage)
		col. 58 and 60 = code 1 and col. 59 = code 0	5 (latent and 2nd stage)
		continued	

<sup>\*</sup>An asteriek in recode column means transfer codes verbatim.

Field Descripti	<b>On:</b> Arrest	ed Progress of	location:	1336 (6068VAR)
Field Description: Arrested Progress of Labor: QB-55 CONTINUED		<del></del>	•	1330 (6068VAX)
			Revised: _	
Remarks:				
	-			
Card Sources	Columns	Codes		Recodes*
2355	58-60	cols. 59 and 60 = and col. 58 = cod	code 1	å (active and 2nd stage)
		#11 cois. = code	i	7 (latent active

2355	58-60	cols. 59 and 60 = code 1 and col. 58 = code 0 All cols. = code 1 All cols. = code 9 or combinations of 9	<ul><li>ô (active and 2nd stage)</li><li>7 (latent active and 2nd stage)</li><li>9 (unknown)</li></ul>
Presence of 9355 card			9

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Description: 81000 Transfusion:	Location:	1337 (6069VAR)
Delivery Room (08-55)	Approved:	
	Revised:	
Remarks:		

Card Sources	Columns	Codes	Recodes*
Any 1-3334, 9334			8 (Not applicable 08-34 present)
7355	£7	0 = No 1 = Yes 9 = Unknown	
Presence of any 9355			9 - Unicom
	Company (Company)		No.
STATE COMPANY AND THE COMPANY			
	MO7 7.		

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

	On: Bleedi	ng After Cord	Location:	1358-1341 (6070VAR)	
Clarped: OB-55			Approved:		
			Revised:		
Remarks:					
Card Sources	Columns	Code	<b>13</b>	Recoder*	
Presence of	1			********	
any one card 1334-3334, 9344				6888 (not applicable- 08-34 present)	
any one card 1334-3334.	57-60	0000 0001-4000 (cc) 9995,9996,9997,9	,	8888 (not applicable- 08-34	
any one card 1334-3334, 9334	57-60	0001-4800 (cc)	,	8888 (not applicable- 08-34 present) 9998 (bleeding-	

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Description: Bleeding Before Cord	Location:	1342-1345 (6071VAR)
Clariped: 08-55	Approved:	5/19/69
	Revised:_	
Remarks:		

Card Sources	Columns	Codes	Recodes*
Presence of any one card 1334-3334, 2344			8888 (not applicable- GB-34 present)
6355	46-49	0000 0001-4000 (cc) 9995,9996,9997,9998	# 9998 (bleeding- quantity unspec.)
Presence of 9355			9999

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Description: Chronic Hypertensive	Location:	1346 (6072VAR)
Disease (08-35)	Approved:	
	Revised:_	
Remarks:		
	4	

Card Sources	Columns	Codes	Recodes*		
Presence of any card 1334-3334, 9334			7 (Not applicable - 08-34		
6355	66	0 = None 1 = Yes, by patient history only 2 = Yes, by documental evidence 8 = Uncertain 9 = Unknown	•		
Presence of 9355 card			9		

<sup>\*</sup>An asterisk in recode column means transfer cudes verbatim.

Field Description: Errech Belivery	_ Location:	1347 (6073VAR)
Fedalie Version	_ Approved:	8/19/69
	_ Revised:	9/15/69
Remarks:		

Card Sources	Columns	Godes	Recodes*
Presence of any card 1334-3334,9934	Control of the Contro		7(non applicable * - 08-34)
Fresence of 3355 or 5355 card			6(not applicable * - other type of delivery)
4355	16	0 = Not attempted 1 - Average 2 = Difficult 3 = Very Difficult 4 = Failed 8 = Difficulty unknown Version attempted 9 = Unknown	* 0 = No 1 = Yes 1 0 9
Presence of 9355			9 *

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

ield Description: Br	eech Delivery	Location:	1348 (60744)		
	Group/Interval Code				
amarke:					
emarks:					
Recode from		des	Recodes*		
Location 1347 (6073VAP) Breech Delivery - Podalic Version	0,4,6,7 1,2,3 8,9	9 0 2 9			
	11 · ***	**************************************			
		7			
	9 9 0	### ST T T T T T T T T T T T T T T T T T			
	1 1 1	∯.  			
	H				
	ا ب د	14 14 11			
asterisk in recode colu					

Field Description: Treech Relivery: Type Lo	cation:1349 (607)	5 <b>va</b> r)
(Attatude or Presentation)	pproved: 5/19/69	-
- A	evisari: 9/11/69	
Remarks: ADTE: Use PRESENTATION variable # oca	ition 1324) if breech	
presentation is requested as such. Use this vari	able (for breeches)	f
specific types of breech presentations are reques	ted.	·—————————————————————————————————————
		<del></del>
	· · · · · · · · · · · · · · · · · · ·	

Card Sources	ces Columns Codes		Recodes*	
1334	66	O (delivery other than breech) 1-8	*	
Presence of 9334 card		9	9	
Presence of 3755 or 5355 cord			0 (delivery other than breech)	
<b>4355</b>	25	G (version)  1 (frank)  2  3  4  9 (unknown)	8 (version and extraction)  4 (full or complete) 2 (single tentling or knee) 3 (double footion or knee)	
1355	C6	<b>4</b> 5	compound)	
Presence of 9355 card			9	

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Desc	ription:	Procedur	es Att	empted	Location:	1350	(6076VAR)
Delivery of Body:		Breech		Approved:	, H , 100 0		
					Revised:	e e	
Memarks:_							
	:	,		,			
			,	. ,		,	
					G Company		
	,					701	

Card Sources	Columns	Codes	Recodes*
1314	67	0 (not appl., del. other than breech) 1-4, 9 8 (version and extraction attempt)	* * 9
Fresence of 9334			9
1355 or 5355			0
	29	0 1 2,3 4	1 (spontaneous) 4 5 (decomposition and partial extraction) 6 (decomposition and total extraction)
Fresence of 9355		O = Not applicable 1 = Spontaneous 2 = Partial 3 = Total 4 = Decomp. only 5 = Decomp. and Partial 6 = Decomp. and Total	9

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Descrip	tion: _	Procedures	attempted	Location:	1351 (6	077VAR)
for Delivery	of Head:	Breech		Approved:	0.57	15 B
,,	***************************************			Revised:		A Property of the Control of the Con
Remarks:		· .				
, n				(1) The state of t		
	-11				***************************************	
			FA	0		

Card Sources	Columns	Codes	Recodes*
1334	68-69	00 20,28,30,38 10,18 01-05 11-15 21-25, 31	0 = other type of delivery 1 = spontaneous 2 = manual control 3 = forceps 4 = combination of marual and forceps - ination of aneous orceps
Presence of 9334 4355	28	0 1 2 3 9	1 2 3 4 9
Presence of 3355 or 5355 Presence of 9355		9	Ō

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Description: Difficulty of Breech	<b>Location</b> : 1352 (6078YAR)
Procedures: Decomposition (08-55)	Approved: 5/19/69
	Revised:
Remarks:	

Card Sources	Columns	Carlon	
Presence of any one card 1334-3334, 9334			7 (most applicable 08-34)
4355	30	0-4.9	THE SHALL SH
Presence of 3355 or 5355 card		er e	8 (not applicable other type of
Presence of 9355		and the second s	delivery 9

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Procedures: Partial Extraction (08-55) Approved: 5/19/69  Revised:	Field Descri	ption: _	Difficulty of Bree	Location:	1353 (6079VAR)
Remarks:	Procedures:	Partial	Extraction (OB-55)		
Remarks:				Revised:	, 77
	Remarks:	٠.			
		-			

Card Sources	Columns	Codes	Recodes*
Presence of any one card 1334-3334, 9334			7 (not applicable- 08-34)
4355	31	0-4,9	* 9
Presence of 3355 or 5355 card			8 (not applicable- other type of delivery
Presence of 9355			9
	Ý		

<sup>\*</sup>An asteriak in recode column means transfer codes verbatim.

on: Diffic	ulty of Breech	Location:	1354 (6380VAR)	
tal Extracti	on (08-55)			
		Revised:		
<u> </u>				
			म	
Columns	Cod	les	Recodes*	
			7 (not applicable- 08-34)	
32	0-4,9 8		9	
			(not applicable- other type of delivery	
		9		
	Columns	Columns Cod	Columns Codes  Codes  32 0-4,9 8	

<sup>\*</sup>An asteriak in recode column mezns transfer codes verbatim.

Field Description: Difficulty of Breech Procedures: Manual Del. of Head (08-55)			_ Location:	1355 (6081VAR) : 5/19/69	
			_ Approved:		
Remarks:					
Card Sources	Columns	Co	des	Recodes*	
Presence of any one card 1334-3334, 9334			<u> </u>	7 (Not applicable OB-34)	
4355	33	0-4,9 8	ľ	*	
Presence of 3355 or 5355 card				8 (Not applicable other type of delivery)	
Presence of 9355					

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Descript	ion: Diffic	ulty of Breech	Location:	1356 (6082VAR)
Procedures: F	orceps Delive	ry of Head (08-55)	Approved:	
Remarks:				
Card Sources	Columns	Codes	;	Recodes*
Presence of any one card 1334-3334, 9334				7 (not applicable- 08-34)
4355	34	<b>0-4,</b> 9 8	1	9
Presence of 3355 or 5355 card				not applicable- other type of delivery
Presence of 9355			g	

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Descripti	on: Diffic	ulty of Forceps	Location:	1357 (6083VAR)	
	Procedures: Traction (08-55) - Vertex			5/19/69	
Delivery					
Remarks:					
Card Sources	Columns	Code	8	Recodes*	
Presence of any one card 1334-3334, 9344				7 (Not applicable 08-34)	
Presence of 4355 or 5355				8 (Not applicable- delivered as breech or c/s)	
3355	54	0-4,9		•	
Presence of 9355				9	

<sup>\*</sup>An asteriak in recode column means transfer codes verbatim.

Field Descripti	on: Diffic	ulty of Forceps	Location:	1358 (6084VAR)
Procedures: Application (08-55)			Approved:	
Remarks:				
Card Sources	Columns	Code	*	Recodes*
Presence of any one card 1334-3334, 9344				7 (Not applicable 98-34)
Presence of 4355, 5355 card				8 (Not applicable- delivered as breech or c/s)
3355	51	0-4,9		•
Presence of 9355				9

<sup>&</sup>quot;An asteriek in recode column means transfer codes verbation

Field Description	on: Diffici	Ilty of Forceps	Location:	1359 (6085VAR)		
Procedures: Ro	tation (OB-59	6) -	Approved:	5/19/69		
Vertex Delivery			Revised:			
Remarks:						
Card Sources	Columns	Code	98	Recodes*		
Presence of any one card 1334-3334, 9344				7 (Not applicable 08-34)		
Presence of 4355 or 5355 card				8 (Not applicable- delivered as breech or c/s)		
3355	52	0-4,9		*		
Presence of 9355				9		

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

on: Diffic	Location:	1360 (6086VAR)	
		•	
Columns	Code	\$	Recodes*
			7 (Not applicable 08-34)
			8 (Not applicable- delivered as breech or c/s)
53	0-4,9		•
			9
	Columns	Columns Code	Columns Codes

<sup>\*</sup>An asteriak in recode column means transfer codes verbatim.

Field Description: Difficulty of Forceps	Location: 1361 (6087VAR)
Procedures: Vertex Delivery (08-34)	Approved: 5/19/69
	Revised:
Remarks:	

Card Sources	Columns	Codes	Recodes*
1334	18	9	8 (not applicable- other type of delivery
1334	65	8 lank 0 1,2 3,4,9 7	0 (not applicable- no attempt at forcep delivery) 1 (average) 9 5 (failed)
Presence of 9334 card			9
Presence of any card 1355-7355, 9355			7 (not applicable- 08-55)

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Description: Perineal Lacerations:	Location: 1362 (6088VAR)
Degree (08-55)	Approved: 4/26/69
	Revised:
Remarks:	

Card Sources	Columns	Codes	Recodes*
Presence of any one card 1334-3334,9334			8 (Not applicable - 08-34 present)
6355	73	0 1-4 8 9	9
Presence of 9355			9

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Descripti	on: <u>lacera</u>	itions: Si	te	Location:	1363 (6089VAR)
(08-55)					4/29/69
					7,07,07
Remarks:					
Card Sources	Columns	, ku	Codes		Recodes*
Presence of any one card 1334-3334, 9334		?			8 (Not applicable 08-34 present)
6355	74	*	۵ ه٠		
Presence of 9355	and the control of th		тто маха д		

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Description:	<b>Kechanical</b>	Stimulant:	Location:	1364 (6090	VAR)
lise of (08-55)		0 (	Approved:		
7			Revised:		
Remarks:		:			•
N. N			٧.		
					_
	·		1 1	to a distance of the second	
	<del>-</del>				-
Card Sources Cr	Mumne	Cada	_		_

Card Sources	Columns	Codes	Recodes*
Presence of any one card 1334-3334, 9334			7 (Not applicable- OB-34)
2355	23	0-3,8,9	*
Presence of 9355 card			8

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Des	cription:	Polyhyd	<u>Iramnic</u>	os (08-55	)_	Location:	1365	(6091VAR)
				1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		Approved:	-9.	
Remarks:	***					Revised: _		
						,		
		19					ng ng ng	- 11
								· · · · · · · · · · · · · · · · · · ·
					71.2	···		
						· · · · · · · · · · · · · · · · · · ·		

codes*
pplicable present)
m)

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field De	scription:	Ruptered	Uterus	(08-55)	Location:	1366 (6092	VAR )
					Approved:	2	
					Revised:	A. A.	
Remark	Bi						
			(1)				
					10 3		
		1 =				11	
					# 1		<del>)</del>
Cord Co				,			

Card Sources	Columns	Codes	Recodes*
Any 1-3334 9334			8 (Not applicable 08-34 present)
7355	29	0 = Ko 1 = Yes 9 = Unknown	
Presence of 9355	. <b>13</b>		9 (Unknown)

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Description: Uteriss Stimulant:			Loc	Location: 1367 (6093val				/AR)		
Reactions to (OB-55)										
`						ised:_		0		VI VI
Remarks:			,							
D.			()		v	. ,				· ·
		,		,	V V	<del></del> -			£11 - 12	
					1 W	<del></del>		<del></del>		
		-		w .	· ·					<del></del>

applicable 4 present)
eaction) tion) own)

<sup>\*</sup>An asterick in recode column means transfer codes verbatim

Field Description: Conduction Agents at			Location:	1368 (6094VAR)		
Delivery: Route						
		1				
Remarks: See a	attached proc	edure "Conductive	Agents at De	livery" for		
Card Sources	Columns	Code	28	Recodes*		
2357	17	1-7, 9		*		
0357	21					
			į			
			ļ			
				l		
	İ		ļ	į		

<sup>&</sup>quot;An esteriek in recode column means transfer codes wechstim

Field Description: Conduction Agents at	1368-1377 <b>Location:</b> (6094-6103var)
Delivery	Approved: 5/19/69
	Revised:

#### Conduction of Agents at Delivery

Use all 0357 cards for a case. Check col. 21 and select only those cases with "1" or "8" in col. 21 and blank or 0 in col. 80.

- 1. If a case has no card(s) with a "1" or "8" in col. 21 recode blank (not in Data File)
- 2. If code "8" in col. 21 recode case 0 (none)
- 3. If code "1" in col. 21 then check col. 24:
  - a. If code 0 recode case 0 (none)b. If code 9 recode case 9 (unknown)

  - c. If codes 1,2 then 2357 (for agents I-V) and 5357 cards (for agents VI-X)

(NOTE: Only a 2357 card may be present. Classify according to data on this card.) If no 2357/5357 card recode case 9 (unknown).

Field Descripti	on: Conduc	tion Agents at	Location:	1369 (6095VAR)
Delivery: Rout	te of Agent I	1	Approved:	
			Revised:	
Remarks: See case selection		cedure "Conduction 368	of Agents at	Delivery" for
Card Sources	Columns	Codes		Recodes*
2357	29	0, 1-7, 9		

<sup>&</sup>quot;An asteriek in recode column means transfer codes verbatim.

Field Descripti	on: Conduc	tion Agents at	Location:	1370 (6096VAR)			
Delivery: Rout	te of Agent I	11	Approved: 5/19/69				
Remarks: See case selection		cedure "Conduction 368					
Card Sources	Columns	Code	8	Recodes°			
2357	41	0, 1-7, 9					

<sup>\*</sup>An acteriak in recode column means transfer codes verbatim.

rield Description: Conduction Agents at			Location:	1371 (6097YAR)
Delivery: Rout	e of Agent 1	v	Approved:	
			Revised:	
Remarks: See case selection			n Agents at Del	ivery" for
Card Sources	Columns	Code	18	Recodes*
2357	53	0, 1-7, 9		

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Description	on: Conduc	tion Agents at	Lecation:	1372 (6098VAR)
Delivery: Rout	e of Agent V		Approved:	
			Revised:	
Remarks: See case selection		cedure "Conduction 368	Agents at Del	ivery" for
Card Sources 2357	Columns	Codes	<b>3</b>	Recodes*
	65	0, 1-7, 9		

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Description: Conduction Agents at			Location:	1373 (6099VAR)
Delivery: Rout	e of Agent V	I	Approved:	5/19/69
			Revised:	
Remarks: See case selection			n Agents at Del	ivery" for
Card Sources	Columns	Code	38	Recodes*
5357	17	1-7, 9		

<sup>&</sup>quot;An asteriak in recode column means transfer codes verbatim.

Field Description: Conduction Agents at			Location:	1374 (6100VAR)
Delivery: Rout	e of Agent V	11	Approved:	
W			Revised:	
Remarks: See case selection			n Agents at Del	ivery" for
Card Sources	7	Code	)8	Recodes*
5357	29	0, 1-7, 9		

<sup>\*</sup>An asteriak in recode column means transfer codes verbatim.

Field Description: Conduction Agents at			Location:	1375 (6101VAR)		
Delivery: Route	of Agent VI	11	Approved: 5/19/69			
			Revised:			
Remarks: See case selection		cedure "Conduction 368	n Agents at Del	ivery" for		
Card Sources	Columns	Code	28	Recodes*		
5357	41	0, 1-7, 9				

<sup>&</sup>quot;An asteriak in recode column means transfer codes verbatim.

Field Description	eld Description: Canduction Agents at			1376 (6102VAR	
Delivery: Rout	e of Agent I	X	Approved:		
			Revised:		
Remarks: See case selection		cedure "Conduction 368	Agents at Del	ivery" for	
Card Sources	Column				
5357	53	Codes 0, 1-7, 9		Recodes*	

<sup>\*</sup>An exterisk in recode column means transfer codes verbatim.

Field Descripti	On: Conduc	tion Agents At	Location:	1377 (6103VAR
Delivery: Rout		a.	Approved:	
	0		Revised:	
		cedure "Conduction		ivery" for
case selection	- Location 13	368		
,				
	·\	11		
Card Sources	Columns	Code		Recodes
5357	65	0, 1-7, 9		

<sup>&</sup>quot;An asterisk in recode column means transfer codes verbatim

Field Description	on: Gaseou	s Agents at	Location:	1378 (6104VAR)
<u>Delivery</u>			Approved:	5/01/69
B			Revise:	
Remarks:			<i>y</i>	
				0.0
				in the second se
Card Sources	Columns	Codes	,	Recodes*
See attachment for cards, cols. and procedure		0 = No gaseous agents 1 = Intermittent only 2 = Continuous of 3 = Intermittent continuous 9 = Unknown	nlv	

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Description		Gaseous	Gaseous Agents at Delivery Location:		YLocation:	1378 (6104VA		
						Approvad:		
						Revised:		

Procedure

#### Gaseous Agents at Delivery

Use all 0357 cards for a case. Check col. 21 and select only those cases with "1" or "8" in col. 21. If a case has no card with "1" or "8" in col. 21, or if 0357 card is not present, recode cases as blank (not in Data File).

- A. If "8" in col. 21, recode case 0 (no gaseous agents).
- B. If "1" in col. 21, proceed as follows: Check col. 22: if code 0, or 0's and 9's for all cards recode case 0; if code 9 for all cards recode case 9. If col. 22 = codes 1 or 2 then all 1357 cards with blank or 0 in col. 80.
  - 1. Check cols. 17-20, 31-34, 45-48 for presence of codes 0001-2400 in any 4 digit field.
    - a. If present then check cols. 21-24, 35-38, 49-52:
      - If all cols. = 0's and/or 9's recode case 1 (intermittent only)
      - If any 4 digit field = 0001-2400 recode case 3 (intermittent and continuous)
    - b. If not present then check cols. 21-24, 35-38, 49-52 for presence of codes 0001-2400 in any 4 digit field. Recode case 2 (continuous only if present)
  - 2. Check all 4 digit fields (cols. 17-52)
    - a. If all 0's or 0's and 9's recode case 0 (no gaseous agent)
    - b. If all 9's recode case 9 (unknown).

Field Description:	Incravenous Agents	Location: 1379 (6105VAR)
at Delivery		Approved: 5/19/69
		Ravised:
Remarks:		

Card Sources	Columns	Codes	Recodes*		
A11 0357	21	1	*		
	23	1,2 0,9	1 (yes)		
	21 21 21	code 8	O (no iV agents) 9 (unknown) Blank (not in		
			data file)		

<sup>&</sup>quot;An asterisk in recode column means transfer codes verbation.

Field Description:	C/S:	Delivery of	t.	Location: 1380 (6106.	VAR)
Body 08-55				Approved: 5/19/69	
	~			Revised:	
Remarks:					
	,	`			, ,
	, e				

Card Sources	Columna	Codes	Recodes*
Presence of any one card 1334-3334, 9334			7 (Not applicable- 08-34)
5355	20	O (Not applicable, removal of uterus with fetus inside) 1 (following the vertex) 2 (Breech Extraction) 3 (Version and Extraction) 9 (Unknown)	* * *
Presence of 3355 or 4355 card			8 (Not applicable- other type of delivery)
Presence of 9355 card			S

<sup>&</sup>quot;An actorick in recode column means transfer codes verbetim.

Field Description: C/S: Delivery of Head	Location: 1381 (6107VAR)
	Approved: 5/19/69
	Revised:
Remarks:	

Card Sources	Columns	Codes	Recodes*
1334	18	0,1-3,5,6	8 (not applicable - other type of delivery
Presence of 9334			9 (unknown)
3334	39	1 (manua <sup>1</sup> 2-6 7 9	* 3 (forceps) 9 (unknown)
5355	19	O (not applicable. Removal of entire uterus with fetus inside) 1,3 2 (single Vectus) 4 (vacuum extraction)	* 3 3 *
Presence of 3355 or 4355 card			8
Presence of 9355			9

<sup>\*</sup>An asterisk in recode column menns transfer codes verbatim.

Field Description:	C/S: Type of Uterine	Location:	1382 (6108VAR)
Incision		Approved:	
450		Revised:	
Remarks:			

Card Sources	Columns	Codes	Recodes*
1334	18	0,1-3,5,6,9	8 (not applicable other type of delivery)
3334	38	1 2 3 4 8 9	6 (Low, not otherwise specified) 3 4 7 (Cesarean Hysterectomy) 5
Presence of 9334			9 (unknown)
Presence of 3355 or 4355 card			8
5355	17	1-5,9,10	* 7
Presence of 9355			9

<sup>\*</sup>An asteriak in recode column means transfer codes verbatim.

Field Description: C/S: Primary	_ Location:	1383-1384 (6109VAR)
indication OB-34	_ Approved:	4/25/69
	_ Revised: _	
Remarks:		
	<u> </u>	

Doords-A	
lecodes*	

<sup>\*</sup>An asteriak in recode column means transfer codes verbatim.

Field Description: C/S: Primary  Indication 08-34 CONTINUED  Remarks:		)	1383-1384 (6109VAR)
Card Sources	Columns	Cod	Recodes*
1334	18	0-3,5,6 4,9	88 (not applicable -other type of delivery 99 (unknown)
Presence of 9334			 99 Unknown
Presence of any card 1355-7355, 9355			79 (mot app?*cable O8-55)

<sup>&</sup>quot;An asceriat in recode eclume manne transfer ander verbuilte

Field Descripti	Primary Loca	ition: _	1385-1386 (6110VAR)	
Indication 08-5			5/10/69	
		Revi	sed:	9/11/69
Remarks:				
			1-40)-41-54-65-66-66-66-66-66-66-66-66-66-66-66-66-	
Card Sources	Columns	Codes		Recodes*
Presence of any one card 1334-3334,9334				79 (not applicable 08-34)
5355	42-43	02-09, 10-19, 20-29, 30-39, 70, 77, 88, 99	,	
Fresence of 3355 or 4355				98 (not applicable other type of delivery)
Presence of 9355 card			9	9

<sup>\*</sup>An asteriek in recede column mannt transfer colleg verbetige

Field Description:	C/S Following A	ttempt Location:	1387 (6111VAR)
at Vaginal Delivery		Approved:	
		Revised:_	9/11/69
Remarks:			

Card Sources	Columns	Codes	Recodes*
1334	18 and 64	col.18=4 and col.64=8 col.18=4 and col.64=0 or X col.18=4 and col.64=A0C	1 0 9
	18	0-3,5,6,9	8 (not applicable - other type of delivery)
Presence of 9334		The second secon	9 (unknown)
5355	16	0-3,9	*
Presence of 3355 or 4355			8 (Aut applicable - other type of delivery
Presence of 9355 card			9

<sup>\*</sup>An actoriek in recode column meens vanefer codes verbatim.

Field Description:	:/\$:	Difficult	ty of	Location:	1388 (6112VAR)
Head Delivery OB-55					5/19/69
Remarks:					
	<del></del>				

Columns	Codes	Recodes*
		7 (Not applicable- 08-34)
21	O (Not applicable, removal of entire uterus with fetus inside) 1 (Average) 2 (Difficult) 3 (Very Difficult) 9 (Unknown)	
		8 (Not applicable- other type of delivery)
		9
		21 0 (Not applicable, removal of entire uterus with fetus inside) 1 (Average) 2 (Difficult) 3 (Very Difficult)

<sup>\*</sup>An esteriek in recode column means transfer codes verbatim.

Body Delivery O	ਲੇ <b>⊹5</b> 5	Approve	1:1389 (6113VAR)  od: _5/19/69
Card Sources			
Card Sources	Columns	Codes	Recodes*
Presence of any ane card 1334-3334, 9334			7 (Not applicable- OB-34)
5355	22	O (Not applicable, removal of entire uterus with fetus inside) 1 (Average) 2 (Difficult) 3 (Very Difficult) 9 (Unknown)	*
Presence of 3355 or 4355 card			8 (Not applicable- other type of delivery)
Presence of 9355 card	1		9

<sup>\*</sup>An asteriak in recode column means transfer codes verbation.

	C/S	tion for C/S:	Approved:	1390 (6114VAR) 7/10/69
Card Sources	Columns 22			Recodes*
	22	0 = No 1 = Yes 9 = Unknown		* *
Presence of any card 1324,2334				8 (Not applicable- other type of delivery)
Presence of 9334				9 (Unknown)
Presence of any card 1355-7355 9355				7 (Not applicable- OB-55)

<sup>\*</sup>An esterisk in recode column means transfer codes verbatim.

Field Description: _	Indication	for C/S:	Location:	1391 (6115	.var)
08-34 Fetal Distress		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Approved:	* * *	$ab = -a_{ij} \cdot$
			Revised:		
Hemarks:	4 <u>1</u> 10				· ·
			11.0		"
				0	
	· · · · · · · · · · · · · · · · · · ·				<del></del> .
				W 1	

Card Sources	Columns	Codes	Recodes*
3334	23	0 = No 1 = Yes 9 = Unknown	* *
Prasence of any card 1334,2334			8 (Not applicable other type of delivery)
Presence of 9334			9 (Unknown)
Presence of any card 1355-7355 9355			7 (Not applicable- 08-55)

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Descri	iption: <u>Ir</u>	dication fo	r C/S:	Locations	1392 (6116VAR)
OB-34 Cephalopelvic Disproportion				Approved:	
				Revised:	
Remarks:	a				7
				1.5	
				-1	
7,	****			-	

Card Sources	Columns	Codes	Recodes*
3334	24	0 = No 1 = Yes 9 = Unknown	*
Presence of any card 1334,2334			8 (Not applicable- other type of delivery)
Presence of 9334			9 (Unkrown)
Presence of any card 1355-7355 9355	e e		7 (Not applicable- OB-55)

<sup>\*</sup>An asteriak in recode column means transfer codes verbatim.

Field Description	Indicatio	n for C/S:	Location:	1393 (6117VAR)
08-34 Primigravida	w/Breech		_ Approved:	
12			. Revised:	100 mg (100 mg)
Remarks:			200	
		,		
. 1			**************************************	
		11		45.
,	1			

	Y	Recodes*
25	0 = No 1 = Yes 9 = Unknown	
		8 (Not applicable- other type of delivery)
		9 (Unkr-own)
		7 (Not applicable- 08-55)

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Description: Indication for C/S:			Location:	1394 (6118VAR)
08-34 Elderly P	`			
		A May 1	Approved:	0
,			Revised:	
Remarks:			'	
4				
			المراثب والأثرار فيها أن واستنسيستين	
		'		
Card Sources	Columns	Codes		Recodes*
3334	26	n = No 1 = Yes 9 = Unknown		*
Presence of any card 1334,2354				8 (Not applicable- other type of delivery)
Presence of 9334			9	(Unknown)
Presence of any card 1355-7355 9355			7	(Not applicable- 08-55)

<sup>\*</sup>An asteriak in recode column mesns transfer codes verbatim.

Field Description: Indication for C/S:			Location:	1395 (6119VAR)	
08-34 Transvers					
			Approved: 7/10/69  Revised:		
Remarks:					
e .					
				=	
Card Sources	Columns	Code	8	Recodes*	
3334	27	0 = No 1 = Yes 9 = Unknown		*	
Presence of any card 1334,2334				8 (Not applicable- other type of delivery)	
Presence of 9334				9 (Unknown)	
Presence of any card 1355-7355 9355				(Not applicable- GB-55)	

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

	Cord	tion for C/S:	Approved	1396 (6120VAR) 7/10/69
Card Sources	Columns	Code	8	Recodes*
3334	28	0 = No 1 = Yes 9 = Unknown		*
Presence of any card 1334,2334				8 (Not applicable- cther type of delivery)
Presence of 9334				9 (Unknown)
Presence of any card 1355-7355 9355				7 (Net applicable- 03-55)

<sup>\*</sup>An esteriak in recode column means transfer codes verbatim.

Field Description:Indication for C/S:		Location:		
Card Sources	Columns	Codes		Recodes*
3334	29	0 = No 1 = Yes 9 = Unknown		*
Presence of any card 1334,233¢				8 (Not applicable- other type of delivery)
Presence of 9334				9 (Unknowa)
Presence of any card 1355-7355 9355				7 (Mot applicable- C8-55)

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Description	on: <u>Indica</u>	Location:	1398 (6122VAR)	
08-34 Previous Pelvic or Cervical Repair		Approved:		
Remarks:				
Card Sources	Columns	Cod		
3334	30	0 = No 1 = Yes 9 = Unknown	1	Recodes*
Presence of any card 1334,2334				B (Not applicable- other type of delivery)
Presence of 9334				9 (Unknown)
Presence of any card 1355-7355 9355				(Not applicable- Jō-55)

<sup>\*</sup>An asterisk in recode column means transfer code2 verbatim.

on: <u>Indica</u>	tion for C/S:	Location:	1399 (6123VAR)
		Approved:	7/10/69
		Revised:	
			,
Columns	Code	)&	Recodes*
31	0 = No 1 = Yes 9 = Unknown		*
			8 (Not applicable- other type of delivery)
			9 (Unknown)
			7 (Not applicable- 00-55)
	Columns	Columns Code 31 0 = No 1 = Yes	Columns Codes  31 0 = No 1 = Yes 9 = Unknown

<sup>&</sup>quot;An astarisk in resode column means transfer codes verbatim.

Field Description 08-34 Toxemia	On: <u>Indica</u>	tion for C/S:	Approved:	1400 (6124VAR) 7/10/69
Remarks:				
Card Sources	the some memory	Codee		Recodes*
3334	32	0 = No 1 = Yes 9 = Unknown		*
Presence of any card 1354,2334				B (Not applicable- other type of delivery)
Presence of 9334				9 (Unknown)
Preserta of any card 1355-7355 9355				(Not applicable- OB-55)

<sup>\*</sup>An esterisk in recode column means transfer codes verbatim.

Field Description: Indication for C/S:		Lecation	1401 (6125VAR)	
08-34 Abruptio			_	
		, -	Approved:	
			Revised:_	
Remarks:				
Card Sources	Columns	Code	B	Recodes*
3334	33	0 = No 1 = Yes 9 = Unknown		# # #
?vasence of any card 1334,2334				E (Mot applicable- other type of delivery)
Presence of 9334				9 (Unknown)
Presence of any card 1355-7355 9355				7 (Not applicable- 08-55)
				1

An autoriek in recode column means transfer codes verhatim.

Field Description: Indication for C/S:  08-34 Placenta Previa		. Approved:	1402 (6126VAR 7/10/69	
Remarks:				
	s Columns	Code	es	Recodes*
3334	34	0 = No 1 = Yes 9 = Unknown	J.	
Presence of any card 1330,2334			8	(Nor applicable- other type of delivery)
Presence of 9334			9	(Unknown)
Presence of any caru 1355-7356 9355			7	(Met applicable- 06-55)

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Description: Indication for C/S:  C8-34 Failed Forceps  Remarks:		C8-34 Failed Forceps Approved Revised:		1403 (£127VAR) 7/10/69
Card Sources			D3	Recodes*
3334	35	0 - No 1 = Yes 9 = Unkriown		* * * * * * * * * * * * * * * * * * *
Presence of any card 1334,2334				8 (Not applicable- other type of delivery)
Presence of 9334				9 (Unknown)
Presence of any card 1355-7355 9355				7 (Not applicable- 08-55)

<sup>&</sup>quot;An asterisk in recode column means transfer codes verbatim.

Field Description: Indication for C/S:  OB-34 Uterine Dysfunction  Remarks:		Approved:	1404 (6128VAR) 7/30/69	
Card Sources	Columns	Code	3	Recodes*
3334	36	0 - No 1 = Yes 9 = Unknown		¥ ¥
Presence of any card 1334,2334				(Not applicable- other type of delivery)
Presence of 9334				(tinknown)
Presence of any card 1355-/355 9355				(Not applicable- 08-5%)

<sup>\*</sup>An asterisk in recode column means transfer codes ussissai

Field Description	on: <u>Indicati</u>	ion for C/S	: Loc	ation:	1405 (6	129 <b>v</b> a	IR)
08-34 Other	P				7/10/69		
				ised:			-
Remarks:			.07				,
	10		4.7				
				. '		- No. 1	<del></del>
					· ·		1
Card Sources	Columns		Codes		Bec	odes*	

Columns	Codes	Recodes*
37	0 = No 1 = Yes 9 = Unknown	* *
·		8 (Not applicable- other type of delivery)
		9 (Unknown)
		7 (Not applicable- OB-55)
		37 0 = No 1 = Yes

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Description: Indication for C/S:  OB-55 Previous Section			Location:	1406 (61	30VAR)
			Approved:	7/10/69	
			Revised:		, W.,
Remarks:			$\frac{\partial}{\partial x} = \frac{\partial}{\partial x} \left( \frac{\partial}{\partial x} - \frac{\partial}{\partial x} \right) = \frac{\partial}{\partial x} \left( \frac{\partial}{\partial x} - \frac{\partial}{\partial x} \right)$		. '
		a e		· · · · · · · · · · · · · · · · · · ·	
			,		
		\$**		<del></del>	
				1	

Columns	Codes	Recodes*
		7 (Not applicable- 08-34
23	G = No 1 = Yes 9 = Unknown	* *
		8 (Not applicable- other type of delivery)
		9 (Unknown)
		23

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Description: Indication for C/S:			Location:	1607 (6121	
4.1	ious Myomectomy		Approved:	a u u u u	
			Revised:		
Remarks: _		n.			
,			and the second		

Card Sources	Columns	Codes	Deceded
Presence of any card 1334-3334 9334			7 (Not applicable- 96-34
5355	24	0 = No 1 = Yes 9 = Unknown	*
Presence of 3355 or 4355 card			8 (Not applicable- other type of delivery)
Presence of 9355			9 (Unknown)

<sup>&</sup>quot;An asterisk in recode column means transfer codes verbatim.

Field Description: Indication for C/S:  OB-55 Cephalopelvic Disproportion			Location:	1408 (6132VAR)
			Approved:	
Remarks:				
Card Sources	Columns	Code	A.e.	Den tout
Presence of any card 1334-3334 9334				Rec. Jes* 7 (Not applicable- 08-34
5355	25	0 = No 1 = Yes 9 = Unknown	1	
Presence of 3355 or 4355 card				Rot applicable- other type of delivery)
Presence of 9355			ç	(Unknown)

<sup>\*</sup>An asterisk in recove column means traitsfer codes verbatim

Field Description: Indication for C/S:	Location:	1409 (6133VAR)
08-55 Following Failed Pelvic Procedures	. Approved:	7/10/69
	Revised:	
Remarks:		
.0		

Card Sources	Columns	Codes	Recodes*
Presence of any card 1334-3334 9334			7 (Not applicable- 08-34
5355	26	0 = No 1 * Yes 9 = Unknown	*
Presence of 3355 or 4355 card			8 (Not applicable- other type of delivery)
Presence of 9355			9 (Unknown)

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Description: Indication for C/S:  08-55 Transverse Lie			Location:	1410 (6134VAR)
			Approved:	
Remarks:				
Card Sources	Columns	Codes	<b>.</b>	Recodes*
Presence of any card 1334-3334 9334				7 (Not applicable- 08-34
5355	27	0 = No 1 = Yes 9 = Unknown		*
Presence of 3355 or 4355 card				Rot applicable- other type of delivery)
Presence of 9355			9	(Unknown)

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Description: Indication for C/S:  OB-55 Other Halpresentation			Location:	1411 (6135VAR) : 7/10/69	
			Approved:		
Remarks:					
Card Sources	Columns	Codes		Recodes*	
Presence of any card 1334-3334 9334			,	7 (Not applicable- OB-34	
5355	28	0 = No 1 = Yes 9 = Unknown	1		
Presence of 3355 or 4355 card				(Not applicable- other type of delivery)	
Presence of 9355			5	(Unknown)	

<sup>&</sup>quot;An asteriak in recode column means transfer codes variation

Field Description: Indication for C/S:			Location:	1412 <u>(</u> 821821	
08-55 Uterine D			Approved:		
				11 401 000	
Remarks:			.,		
Card Sources	Columns	Code			
Presence of any card 1334-3334 9334				Recodes*  7 (Not applicable- 06-34	
5355	29	0 * No 1 * Yes 9 = Unknows		CONTRACTOR AND	
Presence of 3355 or 4355 card			A Paris	8 (Not applicable - otner type of delivery)	
Presence of 9355	ESTACON COMMANDE - CAPAC SELVED - CAPAC			(tink nown)	
			4		

<sup>&</sup>quot;An apperick in recode column means transfer codes werked in

Field Descripti	on: Indi	eation for C/S:	Location:	1413 (6137VAR)	
OB-55 Fetal Distress			Approved: Revised:	7/10/69	
Remidue					
Card Sources	Column	e Codes		Recodes*	
Presence of My tord 1314-3334 VI34				7 (Not applicable- 08-34	
		C o No S a Ves S a Unit room			
Presente of 3354 of 6354 Land		The same of the sa	To the Charles Andrews of the Charles	(Not applicable- other type of delivery)	
<b>ምንያ</b> ያ መጀመሪ	:			P. P. M. A. Grant J	
		; ;			
4			4 • •		

<sup>&</sup>quot;An estable in reside estable many branch white

Field Description: Indication for C/S:  08-55 Prolapsed Cord  Remarks:			Approved:	1414 (6138VAR) 7/10/69
Nomaras:				
Card Sources	Columns	Code		Recodes*
Presence of any card 1334-3334 9334				7 (Not applicable- 08-34
5355	31	0 = No 1 = Yes 9 = Jnknown		*
Presence of 3355 or 4355 card			1	(Not applicable- other type of delivery)
Presence of 9355				(Unknown)

<sup>&</sup>quot;An asterick in recode column means transfer codes verbatim.

Field Description: Indication for C/S:  CB-55 Placenta Previa  Remarks:			Approved:	1415 (6139VAR) 7/10/69
Card Sources	Columns	Code		Recodes*
Presence of any card 1334-3334 9334				7 (Not applicable- 08-34
5355	32	0 = No 1 = Yes 9 = Unknown		*
Presence of 3355 or 4355 card				8 (Not applicable- other type of delivery)
Presence of 9355				(Unknown)

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Description:indication for C/S:			Approve	1416 (614nVAR)
Card Sources	Columns	Codes	<u> </u>	Recodes*
Presence of any card 1334-3334 9334				7 (Not applicable- 0B-34
5355	33	0 = Ro 1 = Yes 9 = Unknown		*
Presence of 3355 or 4355 card				8 (Not applicable- other type of delivery)
Presence of 9355				9 (Unknown)

<sup>\*</sup>An gaterisk in recode column means transfer codes verbatim.

Field Description:indication for C/S:		Approved: 7/10/69 Revised:		
Columns	Code	Recode	s>	
CONTRACTOR CONTRACTOR		7 (Not applic GB-34		
34	0 = No 1 = Yes 9 = Unknown	*	<del></del>	
		8 (Not application other type delivery)	of	
		9 (Unknown)		
	Columns	Columns Code:	Columns Codes Recode  7 (Not applic GB-34  1 - Yes 9 - Unknown 8 (Not applic other type delivery)	

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Description:Indication for C/S:			Location:		
08-55 Poor 08 History		Approved:			
Remarks:			nevised:		
Card Sources	Columns	Code	98	Recodes*	
Presence of any card 1324-3334 9334				7 (Not applicable- 08-34	
5355	35	0 = No 1 = Yes 9 = Unknown	1		
Presence of 3355 or 4355 card			8	Not applicable- other type of delivery)	
Presence of 9355			g	(Uniknown)	
	j				

<sup>\*</sup>A\n asterisk in recode column means transfer codes verbatim.

Field Description: Indication for C/S:  OB-55 Obstructing Tumor			1419 (6143VAR)
			Approved: 7/10/69
		•	
Columns	Code	\$	Resodes*
			7 (Not applicable- CB-34
36	0 = No 1 = Yes 9 = Unknown		* ·
			8 (Not applicable- other type of delivery)
			9 (Unkaown)
	Columns	Columns Code  36 0 = No 1 = Yes	Columns Codes  Columns Codes  36 0 = No 1 = Yes 9 = Unknown


<sup>\*</sup>An asterisk in recode column means transfer codes variation

Field Description: Indication for C/S:  08-55 Toxemia			Location:	1420 (6144VAR)
				):_7/10/69
Remarks:				
·		,		
			· · · · · · · · · · · · · · · · · · ·	· ·
Card Sources	Columns	Cod	les	Recodes*
Presence of any card 1334-3334 9334				7 (Not applicable- 08-34
5355	37	0 = No 1 = Yes 9 = Unknown		* *
Presence of 3355 or 4355 card				8 (Not applicable- other type of delivery)
Presence of 9355				9 (Unknown)

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.

Field Description: Indication for C/S:  08-55 Diabetes Meliitus			. Approved:	1421 (6145VAR) 7/10/69
Card Sources	Columns	Code	*	Recodes*
Presence of any card 1334-3334 9334				7 (Not applicable- 08-34
5355	38	0 = No 1 = Yes 9 = Unknown		*
Presence of 3355 or 4355 card				8 (Not applicable- other type of delivery)
Presence of 9355				(Unknown)

<sup>\*</sup>An asterisk in recode column means transfer codes verbatim.



Microcopy resolution test chart national burieu of Standards Standard reference material cold lansi and 180 test chart no. 21 CONTINUED ON NEXT FICHE